

# **DESCRIPTION**

The FDLB Lightning Bolt luminaires delivers the highest quality, more uniform light and a sleek design versus fluorescent for a great range of applications. The LED Lightning Bolt is a true alternative and can save 30% energy.

# **SPECIFICATION FEATURES**

#### Construction

Die formed 22 gauge galvanized steel painted high gloss white finish

## Controls:

The FDLB is powered by the best performance Antron Dimming Drivers

#### Electrical:

Long Life LED system complete with electrical dimming drivers deliver the optimal performance. LED's available in 5000K with typical CRI: 80. Premium LED modules rated for 180,000 hours at 85 degree C. Electronic Dimming Drivers available in 120M and 347 Volt.

#### **Driver and Module Access:**

By removing the lens cover the LED modules are on the top of the Lens plate and the driver is mounted underneath

#### Finish:

22 gauge galvanized steel and high gloss enamel paint finish ensures maximum bonding and rust inhibition

# Shielding:

White LED Polycarbonate lens offers visual comfort and safety

# Compliance:

Modules and Dimming Drivers are ETL recognized components and the luminaries are cETLus listed

### Warranty:

5 years



LED LIGHTING BOLT

# ORDERING CODE, ENERGY AND PERFORMANCE DATA

Model	No. Delivere	d LM Input Wa	tts Voltage	Color Temp.	Efficacy Lm/W	Certification	Status
FDLB-	10LED 4582	/ 4911 43	120M/347V	4000K/ 5000K	107	cULus/DLC	Stock
FDLB-6	6600 6600	60	120M/347V	4000K	110	cULus/DLC	Stock
FDLB-{	30LED 8626	/ 9057 80	120M/347V	4000K/ 5000K	108	cULus/DLC	Stock
FDLB-f	R36-LED 3960	36	120 <b>M</b>	4000K	110	cULus/DLC	Stock
FDLB-f	R68-LED 7480	68	120M	4000K	110	cULus/DLC	Stock

## Optional Accessories:

FDYM-2502 Occupancy Sensor

FDLB-WG 4FT Wire Guard

FDLB-VHC (2) 6FT no. 10 Jack Chain and 2 "V" Hooks

Ordering Code, same as Catalog



